## SURVEY RECOVERY FORM

Revised by Geodetic Consultants 10-00

**City of Everett State of Washington Department of Public Works** County: Snohomish **Station Name: V044 Horizontal Datum:** NAD 83/91 **Vertical Datum: NAVD 88 Established By:** C of E **Control Point ID:** 10/30/00 **Book:** 625 **Page:** 63 Pt#: 01 Date:

Township: Section: 17 29 N Range: 05 E

> **LATTITUDE:** (5 decimal places) **59** 56.55982 47 **LONGITUDE:** (5 decimal places) 12 03.13265 122

**ORTHOMETRIC HEIGHT: 112.300** Feet 34.2290 Meters

## Washington State Plane Coordinates - North Zone

	Northing	Easting	Point Scale Factor	Convergence
	(4 decimal places)	(4 decimal places)	(to 9 decimal places)	Deg Min Sec
Feet	367395.665	1305628.098	0.999944397	-01 01 05.4
Meters	111982.4227	397956.2401		

HURIZUNTAL DATA:		
Horizontal position established by:		
resection survey, comments		
X GPS survey, GPS adjustment software used:	Leica rapid	static GPS survey and Leica SKI software
other, explain: Horizontal coordinate values have n	not been establishe	d by survey methods. They may or may not be suitable for mapping.
surveyor's estimated relative positional accuracy:	.05 ft. @	95 % confidence constrained to city points E077 and View
surveyor's estimated absolute positional accuracy:	ft. @	% confidence
VERTICAL DATA:	_	
Vertical position established by:		
X differential leveling to: 3 order accu	ıracy	
GPS survey, accuracy within ft		meters
surveyor's estimated relative positional accuracy:	ft @	% confidence
surveyor's estimated absolute positional accuracy:	ft @	% confidence
Elevation was determined by differential leveling using a Leica Bar-code Level &	& Starlev software	

## MONUMENT DESCRIPTION

A 2 inch brass disk stamped, CITY OF EVERETT SURVEY CONTROL STATION 1995 V044. Set in a drill hole flush with the top of the northwest corner of a 5.5 foot by 5 foot concrete drainage structure.

## TO REACH

It is located at the northeast angle of the intersection of Broadway and 14th Street.

**REFERENCES** 

Az from North Distance Reference Description to a the face of the curb 11 feet

> 23 feet to a the southwest corner of a building

Month & Year Recovered: Condition of Mark: Recovered By:

3/28/1996 GOOD **WJA** 

**GOOD City of Everett** 10/23/2000

DEDI/RHINEHART/SURVEY RECOVERY FORM